Square Up

by Elise Lea for White Owl Textiles

Featuring

Nottingham Rose

Finished size: 69" x 79"

LUMIN FABRICS | White Owl TEXTILES

Fabric Guide

Fabric A
1 Stack
42 - 10" Squares

Fabric B
1⅜ yards

Fabric C
1⅛ yards

Optional Fabric D
$^{2}/_{3}$ yard panel

Binding
⅝ yard

Suggested Backing
4⅞ yards

Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are ¼" unless otherwise stated.
Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)

Cutting Instructions

Fabric A	Choose 21 of the 10" x 10" squares and trim them down to 9½" x 9½" - fewer are needed if using the optional panel blocks (*Fabric D*) Choose 21of the 10" x 10" squares and cut 2 rectangles 4½" x 9½" from each (make sure to cut the rectangles horizontally if using a directional fabric)
Fabric B	Cut 30 strips 1½" x WOF • From 14 of the strips - subcut 56 strips 1½" x 9½" for block sashing • Sew 9 strips together end-to-end to create one long strip - subcut 6 strips 1½" x 59½" for horizontal row sashing • Sew 3 strips together end-to-end to create one long strip - subcut 2 strips 1½" x 61½" for top and bottom inner borders • Sew 4 strips together end-to-end to create one long strip - subcut 2 strips 1½" x 69½" for side inner borders
Fabric C	Cut 7 strips 4½" x WOF • Sew strips together end-to-end to create one long strip - subcut 2 strips 4½" x 69½" for top and bottom outer borders and 2 strips 4½" x 71½" for side outer borders
Fabric D (Optional)	Fussy cut 6 panel blocks to 9½" x 9½"
Binding	Cut 8 strips 2½" x WOF

Copyright ©2025 Lumin Fabrics, All Rights Reserved

Piecing Instructions



Step 1: Gather two random 4½" x 9½ Fabric A rectangles and one 1½" x 9½" Fabric B strip. Sew the fabric A rectangles together with the Fabric B strip between them. Press. Repeat to make 21 pieced blocks.

Step 2: Layout the Pieced blocks and the Fabric A 9½" x 9½" squares in a 6x7 grid as shown, alternating pieced blocks with Fabric A squares, and making sure all the pieced blocks have the sashing strip running horizontal.



If using the optional 9½" x 9½ Fabric D panel blocks use those in place of a few of the Fabric A squares as desired.

Step 3: To make a row, sew the blocks together placing a 1½" x 9½" Fabric B sashing strip between each block. Press. Repeat for all 7 Rows.

Step 4: Sew the rows together, placing a 1½" x 59½ Fabric B Horizontal sashing strip between each row. Press.

Step 5: Sew the 1½" x 69½" Fabric B side inner borders to the sides of the quilt top. Press. Sew the 1½ x 61½" Fabric B top and bottom inner borders to the top and bottom of the quilt top. Press.

Step 6: Sew the 4½" x 71½" Fabric C side outer borders to the sides of the quilt top. Press. Sew the 4½ x 69½" Fabric C top and bottom outer borders to the top and bottom of the quilt top. Press.



Woohoo! Your quilt top is now finished. Now, quilt and bind it using your preferred method.

Copyright ©2025 Lumin Fabrics, All Rights Reserved

Nottingham Rose

Fabric Guide

Fabric A
Nottingham Rose-10
1 Stack



Fabric B
EC-700
1⅜ yards

Fabric C
W105-051-158
1⅛ yards

Fabric D
W105-049-175
$^{2}/_{3}$ yard

Binding
W105-057-158
⅝ yard

Suggested Backing
W105-053-775
4⅞ yards

Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are ¼" unless otherwise stated.
Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)

Copyright ©2025 Lumin Fabrics, All Rights Reserved