

A 10-Month Block of the Month Pattern Designed by Heather Seth for White Owl Textiles






Approximately 94" x 102"



Amalfi Coast Queen BoM - 94" x 102"



Amalfi Coast Fabric Requirements Monthly Details

Total Yardage		SKU	Month #1	Month #2	Month #3	Month #4	Month #5	Month #6	Month #7	Month #8	Month #9	Month #10
	A	W105-001-055	#1	π Δ	π 3	# T	π 3	#0	π /	#0	π /	
3¼ yd.	A	W103-001-033										3¼ yd.
¾ yd.	В	W105-002-055			FQ			FQ	FE	FS		
2 yds.	С	W105-002-555	FE	FE	FS	FQ	11/8 yd.	FQ				
1¾ yd.	D	W105-003-505	¼ yd.		FS		3% yd.					1 yd.
5⁄8 yd.	Е	W105-003-555				FE			FS	FQ	FE	
¾ yd.	F	W105-004-055			FE	FE		FE	FE	FE		
⅓ yd.	G	W105-004-555				FE						
¼ yd.	Н	W105-005-505							FS	FE	FS	
1½ yds.	I	W105-005-555		FE	FS	FE	½ yd.	FQ	FS	FQ	FE	
¾ yd.	J	W105-006-055		FE	FQ		FS		FE	FE		
1¼ yds.	K	W105-006-555	FS		FS		% yd.		FS	FQ	FE	
¾ yd.	L	W105-007-055	FS	FE	FE				FE	FQ		
11/8 yd.	М	W105-007-557			FS	FS	FS	FE				¾ yd.
1% yds.	N	W105-008-555	FS	FS	FS		5⁄8 yd.	½ yd.	FS	FE	FS	
5⁄8 yd.	О	W105-008-557		FE	FS	FE		FQ				
1 yd.	P	W105-009-505	FS	FS		FS	½ yd.		FS	FS	FS	
½ yd.	Q	W105-009-570		FS			3% yd.					
5¼ yds.	R	EC-700 White	FE	¾ yd.	¼ yd.	FE	2¼ yd.	½ yd.	FQ	½ yd.		¾ yd.
1 yd.	1 yd.	Binding - Quilt	is picture	ed with I	abric Q							
8½ yds.	45"	Backing - Fabrio									1	
3 yds.	108"]										

Amalfi Coast BOM - Month 1 Block 1 - Make 1 total (12" finished size)

Fabric Guide



Fabric C W105-002-555 Fat Eighth




Fabric D W105-003-505 ¹/₄ yard



Fabric K W105-006-555 Fat Sixteenth




Fabric L W105-007-055 Fat Sixteenth



Fabric N W105-008-555 Fat Sixteenth



Fabric P W105-009-505 Fat Sixteenth



Fabric R EC-700 WHITE Fat Eighth





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are 1/4" unless otherwise stated. Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage) RST = Right Sides Together

Cutting Instructions

С	1 - 8½" square centered on a bird
D	1 - 6½" x WOF strip cut into 4 - 6½" squares
K	1 - 2½" x WOF strip cut into 4 - 2½" squares
L	1 - 2½" x WOF strip cut into 8 - 2½ squares
N	1 - 2½" x WOF strip cut into 4 - 2½" x 4½" rectangles
Р	1 - 2½" x WOF strip cut into 4 - 2½" squares
R	2 - 2½" x WOF strip cut into 12 - 2½" squares

Piecing Instructions

Step 1: On the Fabric K and Fabric R 2½" squares, draw a diagonal line across the wrong side of the squares.





Step 2: Arrange a marked Fabric K 2½" square RST on a corner of a Fabric D 6½" square as shown. Sew along the marked line. Trim seam allowance to ¼". Press. Make 4 Units 1. On Units 1, draw a diagonal line across the wrong side of the units parallel with the corner units as shown.









Unit 1

Step 3: Arrange a marked Unit 1 square right sides together on a corner of a Fabric C 8½" square as shown. Sew along the marked line. Trim seam allowance to ½". Press. Repeat for each of the corners. Make 1 Unit 2.

Step 4: Sew a marked Fabric R 2½" square to a Fabric P 2½" square right sides together as shown. Trim seam allowance to ½". Press. Make 4 Units 3.

Step 5: Arrange a marked Fabric R $2\frac{1}{2}$ " square right sides together on the left side of an Fabric N $2\frac{1}{2}$ " x $4\frac{1}{2}$ " rectangle as shown. Sew along the marked line. Trim seam allowance to $\frac{1}{4}$ ". Press. Repeat on the right side as shown. Make 4 Units 4.

Step 6: Sew 1 Fabric L 2½" square to each side of a Unit 4. Press. Make 4 Units 5.

Step 7: Lay out the Units 2, 3, and 5 as shown. Sew together in rows. Press. Sew the rows together. Press again. Make 1 Block 1 (12½" unfinished block size).





Unit 2























Unit 5























Block 1

Amalfi Coast BOM - Month 2 Block 2 - Make 4 total (12" finished size)


Fabric Guide



Fabric C W105-002-555 Fat Eighth



Fabric I W105-005-555 Fat Eighth



Fabric J W105-006-055 Fat Eighth



Fabric L W105-007-055 Fat Eighth



Fabric N W105-008-555 Fat Sixteenth



Fabric O W105-008-557 Fat Eighth



Fabric P W105-009-505 Fat Sixteenth



Fabric Q W105-009-570 Fat Sixteenth



Fabric R EC-700 WHITE 3/4 yard





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are ${}^{1}/{}_{4}^{"}$ unless otherwise stated. Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)

С	2 - 2½" x WOF cut into 4 - 2½" x 8½" rectangles
1	2 - 3" x WOF cut into 4 - 3" x 8½" rectangles
J	1 - 2½" x WOF cut into 8 - 2½" squares 2 - 2½" x WOF cut into 8 - 2½" x 4½" rectangles
L	1 - 2½" x WOF cut into 8 - 2½" squares 2 - 2½" x WOF cut into 8 - 2½" x 4½" rectangles
N	2 - 2" x WOF cut into 4 - 2" x 8½" rectangles
0	2 - 2" x WOF strips cut into 4 - 2" x 7%" rectangles 2 - 2" x WOF strips cut into 4 - 2" x 9" rectangles
Р	1 - 2½" x WOF cut into 8 - 2½" squares
Q	1 - 2½" x WOF cut into 8 - 2½" squares
R	2 - 1½" x WOF strips cut into 8 - 1½" x 8½" rectangles 2 - 2" x WOF strips cut into 4 - 2" x 6¼" rectangles and 4 - 2" x 7½" rectangles 1 - 2½" x WOF strips cut into 16 - 2½" squares 2 - 6%" x WOF strips cut into 8 - 6%" squares

Piecing Instructions

Step 1: On the 2½" Fabric R squares, draw a diagonal line across the wrong side of the squares.



Step 2: Sew a 2½" Fabric R square diagonally on a 2½" Fabric Q square right sides together. Trim seam allowance to ¼". Press. Make 8 Units 1. Repeat with the 2½" Fabric R and Fabric P squares. Make 8 Units 2.









Step 3: Sew a 2½" Fabric J square to a Unit 1 as shown. Press. Then sew on a 2½" x 4½" Fabric J rectangle as shown. Press again. Make 8 Units 3.

Repeat for the Unit 2, using the $2\frac{1}{2}$ " Fabric L squares, and $2\frac{1}{2}$ " x $4\frac{1}{2}$ " Fabric L rectangles as shown. Make 8 Units 4.







Unit 3

Unit 4

Draw a diagonal line on the wrong side of your Units 3 and 4 as shown.





Step 4: Line up a Unit 3 to a corner of a 6%" Fabric R square as shown. Sew on the marked line. Trim seam allowance to ¼". Press. Repeat on the opposite corner. Make 4.









Cut the Unit 3 block in half on the diagonal as shown. Make 8 Units 5 triangles.

Repeat Step 4 with the Unit 4 blocks. Make 8 Units 6 triangles.







Step 5: Sew the 2" x $8\frac{1}{2}$ " Fabric N, $2\frac{1}{2}$ " x $8\frac{1}{2}$ " Fabric C, and 3" x $8\frac{1}{2}$ " Fabric I rectangles together alternating with the $1\frac{1}{2}$ " x $8\frac{1}{2}$ " Fabric R rectangles as shown. Press. Make $4 - 8\frac{1}{2}$ " squares.

Cut the corners off the finished square to make a square on point. Make 4 Units 7.








Step 6: Sew a 2" x 6¼" Fabric R rectangle to a Unit 7 as shown. Press. Trim the edges of your R strip in line with the Unit 7 edges if needed. Sew a 2" x 7¾" Fabric R rectangle to the adjoining edge as shown. Press. Again trim the edges if needed. Make 4 Units 8.





Step 7: Sew a 2" x 7%" Fabric O rectangle to a Unit 8 as shown. Press. Trim the edges of your Fabric O strip in line with the Unit 8 edges if needed. Sew a 2" x 9" Fabric O R rectangle to the adjoining edge as shown. Press. Again, trim the edges if needed. Make 4 Units 9.





Step 8: Sew 1 Unit 6 to each of the top corners of a Unit 9 as shown. Press. Sew 1 Unit 5 to each of the bottom corners of a Unit 9 as shown. Press. Trim to a 12½" square, if needed. Make 4 Block 2.






Block 2

Amalfi Coast BOM - Month 3 Block 3 - Make 4 total (12" finished size)

Fabric Guide



Fabric B W105-002-055 Fat Quarter



Fabric C W105-002-555 Fat Sixteenth




Fabric D W105-003-505 Fat Sixteenth




Fabric F W105-004-055 Fat Eighth



Fabric I W105-005-555 Fat Sixteenth



Fabric J W105-006-055 Fat Quarter



Fabric K W105-006-555 Fat Sixteenth




Fabric L W105-007-055 Fat Eighth



Fabric M W105-007-557 Fat Sixteenth



Fabric N W105-008-555 Fat Sixteenth



Fabric O W105-008-557 Fat Sixteenth



Fabric R EC-700 WHITE 1/4 yard





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are $\frac{1}{4}$ " unless otherwise stated. Press seams open unless otherwise stated. WOF = Width of Fabric (selvage to selvage)

HST = Half Square Triangle QST = Quarter Square Triangle

В	1 - 2¾" x WOF strip cut into 4 - 2¾" squares cut once on the diagonal for 8 HSTs 2 - 2¾" x WOF strip cut into 8 - 2½" squares cut once on the diagonal for 16 HSTs 1 - 4¼" x WOF strip cut into 2 - 4½" squares cut twice on the diagonal for 8 QSTs	
С	1 - 3½" x WOF strip cut into 4 - 3½" squares	
D	1 - 3½" x WOF strip cut into 4 - 3½" squares	
F	1 - 2%" x WOF strip cut into 4 - 2%" squares cut once on the diagonal for 8 HSTs 1 - 3%" x WOF strip cut into 4 - 3%" squares cut once on the diagonal for 8 HSTs	
1	1 - 3½" x WOF strip cut into 4 - 3½" squares	
J	1 - 2%" x WOF strip cut into 4 - 2%" squares cut once on the diagonal for 8 HSTs 2 - 2%" x WOF strip cut into 8 - 2%" squares cut once on the diagonal for 16 HSTs 1 - 4¼" x WOF strip cut into 2 - 4¼" squares cut twice on the diagonal for 8 QSTs	

Cutting Instructions Continued

K	1 - 2" x WOF strip cut into 8 - 2" squares
	1 - 2½" x WOF strip cut into 8 - 2½" squares
L	1 - 2%" x WOF strip cut into 4 - 2%" squares cut once on the diagonal for 8 HSTs
	1 - 3%" x WOF strip cut into 4 - 3%" squares cut once on the diagonal for 8 HSTs
М	1 - 3½" x WOF strip cut into 4 - 3½" squares
N	1 - 2½" x WOF strip cut into 8 - 2½" squares
0	1 - 2½" x WOF strip cut into 8 - 2½" squares
R	2 - 1¼" x WOF" strips cut into 8 - 1¼" x 6" sashing
	3 - 1¼" x WOF" strips cut into 8 - 1¼" x 13" sashing

Piecing Instructions

Step 1: Sew a 2%" Fabric B triangle to a 2" Fabric K square as shown. Press. Sew a 2%" Fabric J triangle to the adjacent side of the K square as shown. Press. Make 4 Units 1.

In the same manner, make 4 Units 2 as shown. Pay close attention to which sides of the block the Fabric B and Fabric I triangles get sewn.







Fabric J triangles get sewn.

Step 2: Lay out 2%" Fabric B, Fabric F, Fabric J, and Fabric L triangles with 2½" Fabric K, Fabric N, and Fabric O squares as shown. Sew together, paying close attention to the placement of the triangles on the square. Press. Make 4 of each Units 3, 4, 6, and 7. Make 8 Units 5.













Step 3: Lay out Units 3, 5, and 7 with a 2%" Fabric L triangle as shown. Sew the rows together. Press. Make 4 Units 8.




Step 4: Lay out Units 4, 5, and 6 with a 2%" Fabric F triangle as shown. Sew the rows together. Make 4 Units 9.



Step 5: Sew a 3%" Fabric F triangle to a 3½" Fabric M square as shown. Press. Make 4 Units 10.


Repeat with a 3%" Fabric L triangle and a 3½" Fabric D square as shown, paying close attention to the placement of the triangle on the square. Press. Make 4 Units 11.

Step 6: Sew a 4¼" Fabric B QST to a 3½" Fabric I square as shown. Press. Sew another 4¼" Fabric B QST to the adjacent side of the I square as shown. Press. Sew a 3%" Fabric F triangle to the side as shown. Make 4 Units 12.



Step 8: Sew 1 Unit 10 to 1 Unit 12 as shown. Press. Make 4 Units 14.

Repeat with Units 11 and 13. Make 4 Units 15.



Unit 15

Unit 14

Step 9: Sew Units 14 and 15 together as shown. Press. Make 4 Units 16.


Step 10: Sew a 6" Fabric R sashing strip to a Unit 1 as shown. Press. Trim off the sides of the sashing. Make 4 Units 17.

Repeat for Unit 2 as shown. Make 4 Units 18.

Step 11: Sew a 13" Fabric R sashing strip to a Unit 8 as shown. Press. Trim off the sides of the sashing as shown. Make 4 Units 19.

Repeat for Unit 9 as shown. Make 4 Units 20.

Step 12: Lay out Units 16, 17, 18, 19, and 20 as shown. Sew together. Press. Trim to a 12½" square, if needed. Make 4 Block 3 (12½" unfinished size).




Amalfi Coast BOM - Month 4 Block 4 - Make 4 total (12" finished size)


Fabric Guide



Fabric C W105-002-555 Fat Quarter



Fabric E W105-003-555 Fat Eighth



Fabric F W105-004-055 Fat Eighth



Fabric G W105-004-555 Fat Eighth



Fabric I W105-005-555 Fat Eighth



Fabric M W105-007-557 Fat Sixteenth



Fabric O W105-008-557 Fat Eighth



Fabric P W105-009-505 Fat Sixteenth



Fabric R EC-700 WHITE Fat Eighth





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are 1/4" unless otherwise stated. Press seams open unless otherwise stated. WOF = Width of Fabric (selvage to selvage)

LOF = Length of Fabric RST = Right Sides Together

С	4 - 4½" x 18" strips cut from the LOF (the short end of the fabric) cut into 4 - 4½" x 12½" rectangles
E	3 - 2½" x WOF strips cut into 8 - 2½" x 6½" rectangles
F	3 - 2½" x WOF strips cut into 8 - 2½" x 5½" rectangles
G	2 - 2½" x WOF strips cut into 8 - 2½" x 4½" rectangles
Ι	3 - 2½" x WOF strips cut into 8 - 2½" x 6½" rectangles
М	1 - 2½" x WOF strip cut into 8 - 2½" squares
0	3 - 2½" x WOF strips cut into 8 - 2½" x 5½" rectangles
Р	1 - 2½" x WOF strip cut into 8 - 2½"squares
R	3 - 2½" x WOF strips cut into 8 - 2½" x 6½" rectangles

Piecing Instructions

Step 1: Arrange a 2½" Fabric M square RST on the upper right of a 4½" x 12½" Fabric C rectangle as shown. Sew corner to corner. Trim seam allowance to ¼". Press. In the same way, sew another 2½" Fabric M square on the upper left side of the Fabric C rectangle. Repeat sewing 2½" Fabric P squares to the bottom corners. Make 4 Units 1.

Step 2: Arrange a 2½" x 5½" Fabric O rectangle with the left side of a 2½" x 6½" Fabric E rectangle RST as shown. The Fabric O and Fabric E rectangles need to be perpendicular to each other. Sew corner to corner, from the bottom left of Fabric E to upper right of Fabric O as shown. Trim seam allowance to ¼". Press. In the same way, arrange a 2½" x 5½"Fabric F rectangle on the right side. Sew corner to corner, bottom right of Fabric E to upper left of Fabric F as shown. Trim seam allowance to ¼". Press. Make 4 Units 2.

Repeat Step 2 this time with F on the left side and O on the right side of an E rectangle. Make 4 Units 3.


Step 3: Arrange a 2½" x 6½" Fabric I rectangle, RST, perpendicular with the left side of a 2½" x 4½" Fabric G rectangle. Sew corner to corner, from bottom left of Fabric G to upper right of Fabric I as shown. Trim seam allowance to ½". Press.


In the same way, arrange a 2½" x 6½" Fabric R rectangle on the right side. Sew corner to corner, from bottom right of Fabric G to upper left of Fabric R as shown. Trim seam allowance to ¼". Press. Make 4 Units 4.


Repeat Step 3 this time with R on the left side and I on the right side of a G rectangle. Make 4 Units 5.

Step 4: Arrange the Units 1, 2, 3, 4, and 5 together in rows as shown. Sew rows together. Press.

Make 4 Blocks 4 (12½" unfinished block).







Amalfi Coast BOM - Month 5 Block 5 - Make 8 total (12" finished size)

Fabric Guide



Fabric C W105-002-555 1 ¹/₈ yards




Fabric D W105-003-505 ³/₈ yard



Fabric I W105-005-555 ¹/₂ yard



Fabric J W105-006-055 Fat Sixteenth



Fabric K W105-006-555 ⁵/₈ yard



Fabric M W105-007-557 Fat Sixteenth



Fabric N W105-008-555 ⁵/₈ yard





Fabric Q W105-009-570 ³/₈ yard



Fabric R EC-700 WHITE 2 ¹/₄ yards





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are $^{1}/_{_{4}}$ " unless otherwise stated. Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage) HST = Half Square Triangles

С	3 - 12½ x WOF strips cut into 8 - 12½" squares
D	2 - 5½ x WOF strips cut into 8 - 5½" squares
1	2 - 7½ x WOF strips cut into 8 - 7½" squares
J	1 - 3%" x WOF strips cut into 4 - 3%" squares cut once on the diagonal for 8 HSTs
K	2 - 9½ x WOF strips cut into 8 - 9½" squares
М	1 - 3%" x WOF strips cut into 4 - 3%" squares cut once on the diagonal for 8 HSTs
N	2 - 9½" x WOF strips cut into 8 - 9½" squares
Р	2 - 7½" x WOF strips cut into 8 - 7½" squares
Q	2 - 5½" x WOF strips cut into 8 - 5½" squares
R	1 - 3%" x WOF strips cut into 8 - 3%" squares cut once on the diagonal for 16 HSTs \(\) 25 - 2½" x WOF strips cut into: 16 - 2½" x 3½" rectangles 32 - 2½" x 5½" rectangles 32 - 2½" x 7½" rectangles 32 - 2½" x 9½" rectangles 16 - 2½" x 11½" rectangles

Piecing Instructions

Step 1: Sew a 3%" Fabric | triangle to a 3%" Fabric R triangle, right sides together along the long edge to make a HST. Press. Make 8 Units 1. Repeat with the Fabric M and the Fabric R triangles. Make 8 Units 2.





Step 2: Sew a 2½"x 3½" Fabric R rectangle to the left side of a Unit 1 as shown. Press. Sew a 2½" x 5½" Fabric R rectangle to the top as shown. Press. Make 8 Units 3.

Sew a 2½"x 3½" Fabric R rectangle to the right side of a Unit 2 as shown. Press. Sew a 2½" x 5½" Fabric R rectangle to the bottom as shown. Press. Make 8 Units 4. Unit 3









Unit 4

Draw a diagonal line on the wrong side of the Units 3 and 4 as shown.

Step 3: Sew a 2½" x 5½" Fabric R rectangle to the left side of a 5½" Fabric D square as shown. Press. Sew a 2½" x 7½" Fabric R rectangle to the top as shown. Press. Make 8 Units 5.

Sew a 2½" x 5½" Fabric R rectangle to the right side of a 5½" Fabric Q square as shown. Press. Sew a 2½" x 7½" rectangle to the bottom as shown. Press. Make 8 Units 6.

Draw a diagonal line on the wrong side of the Units 5 and 6 as shown.

Unit 5



Unit 6




Step 4: Sew a 2½" x 7½" Fabric R rectangle to the left side of a 7½" Fabric P square as shown. Press. Sew a 2½" x 9½" Fabric R rectangle to the top as shown. Press. Make 8 Units 7.

Sew a 2½" x 7½" Fabric R rectangle to the left side of a 7½" Fabric I square as shown. Press. Sew a 2½" x 9½" Fabric R rectangle to the top as shown. press. Make 8 Units 8.


Draw a diagonal line on the wrong side of the Units 7 and 8 as shown.

Unit 7

R



Unit 8 R





Step 5: Sew a 2½" x 9½" Fabric R rectangle to the left side of a 9½" Fabric N square as shown. Press. Sew a 2½" x 11½" Fabric R rectangle to the top as shown. Press. Make 8 Units 9.

Sew a 2½" x 9½" Fabric R rectangle to the right side of a 9½" Fabric K square as shown. Press. Sew a 2½" x 11½" Fabric R rectangle to the bottom as shown. Press. Make 8 Units 10.

Draw a diagonal line on the wrong side of the Units 9 and 10 as shown.

Unit 9






Unit 10








Step 6: Arrange a Unit 9 on the upper left corner of a C square, RST. Sew along the marked line. Trim seam allowance to ¼". Press. Repeat on the opposite corner with a marked Unit 10 as shown.

Make 8 Units 11.











Unit 11

Step 7: Arrange a Unit 7 on the upper left corner of a Unit 11, RST. Sew along the marked line. Trim seam allowance to ¼". Press. Repeat on the opposite corner with a marked Unit 8 as shown.

Make 8 Units 12.






Unit 12

Step 8: Arrange a Unit 5 on the upper left corner of a Unit 12, RST. Sew along the marked line. Trim seam allowance to ¼". Press. Repeat on the opposite corner with a marked Unit 6 as shown.

Make 8 Units 13.







Unit 13


Step 9: Arrange a Unit 3 on the upper left corner of a Unit 13, RST. Sew along the marked line. Trim seam allowance to ¼". Press. Repeat on the opposite corner with a marked Unit 4 as shown.

Make 8 Blocks 5 (12½" unfinished size).





Block 5



Amalfi Coast BOM - Month 6 Block 6 - Make 4 total (12" finished size)


Fabric Guide



Fabric B W105-002-055 Fat Quarter



Fabric C W105-002-555 Fat Quarter



Fabric F W105-004-055 Fat Eighth



Fabric I W105-005-555 Fat Quarter



Fabric M W105-007-557 Fat Eighth



Fabric N W105-008-555 ¹/₂ yard



Fabric O W105-008-557 Fat Quarter



Fabric R EC-700 WHITE 1/2 yard





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are $\frac{1}{4}$ unless otherwise stated. Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)

В	4 - 2½" x WOF strips cut into 32 - 2½" squares
С	4 - 2½" x WOF strips cut into 32 - 2½" squares
F	1 - 4½" x WOF strips cut into 4 - 4½" squares
I	4 - 2½" x WOF strips cut into 32 - 2½" squares
М	2 - 2½" x WOF strips cut into 16 - 2½" squares
N	4 - 2½" x WOF strips cut into 64 - 2½" squares
0	4 - 2½" x WOF strips cut into 32 - 2½" squares
R	4 - 2½" x WOF strips cut into 48 - 2½" squares 2 - 2½" x WOF strips cut into 16 - 2½" x 4½" rectangles

Piecing Instructions

Step 1: Draw a diagonal line on the wrong side of the Fabric I, Fabric M, Fabric N, and Fabric R 2½" squares.










Step 2: Lay a Fabric N 2½" square right sides together on a Fabric B 2½" square and sew on the marked line as shown. Trim seam allowance to ¼". Press. Make 32 Units 1.











Draw a line diagonally across the back of all the Units 1 as shown in the diagram, paying attention to the direction of the seam.

Step 3: Lay a 2½" Fabric R square right sides together on a 2½" Fabric I square and sew on the marked line as shown. Trim seam allowance to ¼". Press. Make 16 Units 2.

Repeat with the following pairs of 2½" squares: Fabrics











R & O, and Fabric I & O. Make 16 of each Units 3, and

Step 4: Arrange a marked Unit 1 with a 2½" Fabric C square right sides together as shown. Pay close attention to the direction of Unit 1. Sew on the marked line. Trim seam allowance to ¼". Press. Make 16 Units 5.

Repeat with the Unit 1 rotated opposite of Unit 5, as shown. Sew on the marked line after checking the position of Unit 1. Make 16 Units 6.







Unit 4











Step 5: Sew Units 5 and 6 together as shown with the Fabric B triangles touching. Press. Make 16 Units 7.

Step 6: Arrange a marked 2½" Fabric N square right sides together on the left side of a 2½" x 4½" Fabric R rectangle as shown. Sew along the marked line. Trim seam allowance to ¼". Press. Repeat on the right side as shown. Make 16 Units 8.















Unit 8

Step 7: Arrange a marked 2½" Fabric M square right sides together on a corner of a 4½" Fabric F square as shown. Sew along the marked line. Trim seam allowance to ½". Press.

Repeat for each of the corners. Make 4 Units 9.

Step 8: Arrange two 2½" Fabric R squares with 1 of each Units 2, 3, and 8 as shown. Sew together. Press. Make 8 Units 10.



















Step 9: Arrange 2 Units 4 squares with 1 of each Units 2, 3, and 7 as shown. Sew together. Press. Make 8 Units 11.

























Step 10: Arrange 2 Units 7 and 8 with 1 Units 9 as shown. Sew together. Press. Make 4 Units 12.

Step 11: Arrange 2 Units 10, 11, and 12 together as shown. Sew rows together. Press. Make 4 Blocks 6 (12½" unfinished size).



Block 6




Amalfi Coast BOM - Month 7

Block 7A - Make 4 total (8" finished size) & Block 7B - Make 8 total (8" finished size)

Fabric Guide




Fabric B W105-002-055 Fat Eighth



Fabric E W105-003-555 Fat Sixteenth




Fabric F W105-004-055 Fat Eighth



Fabric H W105-005-505 Fat Sixteenth



Fabric I W105-005-555 Fat Sixteenth



Fabric J W105-006-055 Fat Eighth



Fabric K W105-006-555 Fat Sixteenth



Fabric L W105-007-055 Fat Eighth



Fabric N W105-008-555 Fat Sixteenth



Fabric P W105-009-505 Fat Sixteenth



Fabric R EC-700 WHITE Fat Quarter





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are $^{1}/_{4}^{"}$ unless otherwise stated. Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)


В	4 - 1½" x WOF strips cut into 8 - 1½" x 8½" rectangles
Е	2 - 2" x WOF strips cut into 4 - 2" x 8½" rectangles
F	4 - 2" x WOF strips cut into 8 - 2" x 8½" rectangles
Н	2 - 2" x WOF strips cut into 4 - 2" x 8½" rectangles
I	2 - 1½" x WOF strips cut into 4 - 1½" x 8½" rectangles
J	4 - 2" x WOF strips cut into 8 - 2" x 8½" rectangles
K	2 - 2" x WOF strips cut into 4 - 2" x 8½" rectangles
L	4 - 2" x WOF strips cut into 8 - 2" x 8½" rectangles
N	2 - 2" x WOF strips cut into 4 - 2" x 8½" rectangles
Р	2 - 1½" x WOF strips cut into 4 - 1½" x 8½" rectangles

Cutting Instructions Continued

R	4 - 1½" x WOF strips cut into 8 - 1½" x 8½" rectangles
	4 - 2" x WOF strips cut into 8 - 2" x 8½" rectangles

Piecing Instructions

Step 1: Arrange one of each 1½" x 8½" Fabric I, 2" x 8½" Fabric K, 2" x 8½" Fabric E, 2" x 8½" Fabric H, 2" x 8½" Fabric N, and 1½" x 8½" Fabric P as shown. Sew together. Press. Make 4 Blocks 7A (8½" unfinished block).



Step 2: Arrange one of each 1½" x 8½" Fabric B, 2" x 8½" Fabric F, 2" x 8½" Fabric J, 2" x 8½" Fabric L with one 2" x 8½" R rectangle and one 1½" x 8½" Fabric R rectangle as shown. Sew together. Press. Make 8 Blocks 7B (8½" unfinished block).




Amalfi Coast BOM - Month 8

Block 8 - Make 8 total (8" finished size) & Block 8R - Make 8 total (8" finished size)


Fabric Guide




Fabric B W105-002-055 Fat Sixteenth



Fabric E W105-003-555 Fat Quarter




Fabric F W105-004-055 Fat Eighth




Fabric H W105-005-505 Fat Eighth



Fabric I W105-005-555 Fat Quarter



Fabric J W105-006-055 Fat Eighth



Fabric K W105-006-555 Fat Quarter



Fabric L W105-007-055 Fat Quarter



Fabric N W105-008-555 Fat Eighth



Fabric P W105-009-505 Fat Sixteenth



Fabric R EC-700 WHITE 1/2 yard





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are $\frac{1}{4}$ unless otherwise stated. Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)

В	2 - 1½" x WOF strips cut into 16 - 1½" squares
Е	6 - 2" x WOF strips cut into 16 - 2" x 6" rectangles
F	3 - 2" x WOF strips cut into 16 - 2" x 3" rectangles
Н	4 - 2" x WOF strips cut into 16 - 2" x 4½" rectangles
I	8 - 1½" x WOF strips cut into 16 - 1½" x 8½" rectangles
J	4 - 2" x WOF strips cut into 16 - 2" x 4½" rectangles
K	8 - 2" x WOF strips cut into 16 - 2" x 7½" rectangles
L	6 - 2" x WOF strips cut into 16 - 2" x 6" rectangles
N	3 - 2" x WOF strips cut into 16 - 2" x 3" rectangles
Р	2 - 1½" x WOF strips cut into 16 - 1½" squares

Cutting Instructions Continued


R	4 - 1½" x WOF strips cut into 16 - 1½" x 8½" rectangles
	4 - 2" x WOF strips cut into 16 - 2" x 7½" rectangles

Piecing Instructions

Step 1: Arrange a 1½" Fabric B square on the left side of a 1½" x 8½" Fabric I rectangle right sides together as shown. Sew corner to corner, bottom left of Fabric I to upper right of Fabric B as shown. Trim seam allowance to ½". Press. Make 8 Units 1a.


In the same way, arrange a 1%" Fabric B square on the right side of a different 1%" x 8%" Fabric I rectangle. Sew corner to corner, bottom right of Fabric I to upper left of Fabric B as shown. Trim seam allowance to %". Press.

Make 8 Units 1b.




Step 2: Arrange a 2" x 3" Fabric F rectangle, right sides together, perpendicular with the left side of a 2" x 7½" Fabric K rectangle as shown. The rectangles need to be perpendicular to each other. Sew corner to corner, bottom left of Fabric K to upper right of Fabric F as shown. Trim seam allowance to ½". Press. Make 8 Units 2a.

In the same way, arrange a 2" x 3" Fabric F rectangle on the right side of a different 2" x 7½" Fabric K rectangle. Sew corner to corner, bottom right of Fabric K to upper left of Fabric F as shown. Trim seam allowance to ½". Press. Make 8 Units 2b.




Step 3: Arrange a 2" x 4½" Fabric J rectangle, right sides together, perpendicular with the left side of a 2" x 6" Fabric E rectangle as shown. Sew corner to corner, bottom left of Fabric E to upper right of Fabric J as shown. Trim seam allowance to ¼". Press. Make 8 Units 3a.

In the same way, arrange a 2" x 4½" Fabric J rectangle on the right side of a different 2" x 6" Fabric E rectangle. Sew corner to corner, bottom right of Fabric E to upper left of Fabric J as shown. Trim seam allowance to ¼". Press. Make 8 Units 3b.




Step 4: Arrange a 2" x 6" Fabric L rectangle, right sides together, perpendicular with the left side of a 2" x 4½" Fabric H rectangle as shown. Sew corner to corner, bottom left of Fabric H to upper right of Fabric L as shown. Trim seam allowance to ½". Press. Make 8 Units 4a.

In the same way, arrange a 2" x 6" Fabric L rectangle on the right side of a different 2" x 4½" Fabric H rectangle. Sew corner to corner, bottom right of Fabric H to upper left of Fabric L as shown. Trim seam allowance to ¼". Press. Make 8 Units 4b.



Step 5: Arrange a 2" x 7½" Fabric R rectangle, right sides together, perpendicular with the left side of a 2" x 3" Fabric N rectangle as shown. Sew corner to corner, bottom left of Fabric N to upper right of Fabric R as shown. Trim seam allowance to ¼". Press. Make 8 Units 5a.


In the same way, arrange a 2" x 7½" Fabric R rectangle on the right side of a different 2" x 3" Fabric N rectangle. Sew corner to corner, bottom right of Fabric N to upper left of Fabric R as shown. Trim seam allowance to ¼". Press. Make 8 Units 5b.



Step 6: Arrange a 1½" Fabric P square with the right side of an 1½" x 8½" Fabric R rectangle right sides together as shown. Sew corner to corner, bottom left of Fabric P to upper right of Fabric R as shown. Trim seam allowance to ¼". Press.


Make 8 Units 6a.


In the same way, arrange a 1½" Fabric P square on the left side of a different 1½" x 8½" Fabric R rectangle. Sew corner to corner, bottom right of Fabric P to upper left of Fabric R as shown. Trim seam allowance to ¼". Press. Make 8 Units 6b.



Step 7: Arrange Units 1a, 2a, 3a, 4a, 5a, and 6a as shown. Sew together. Press. Make 8 Blocks 8 (8½" unfinished size).

Arrange Units 1b, 2b, 3b, 4b, 5b, and 6b as shown. Sew together. Press. Make 8 Blocks 8R (8½" unfinished size).






Block 8 Block 8R

Amalfi Coast BOM - Month 9 Block 9 - Make 4 total (8" finished size)

Fabric Guide



Fabric E W105-003-555 Fat Eighth



Fabric H W105-005-505 Fat Sixteenth



Fabric I W105-005-555 Fat Eighth



Fabric K W105-006-555 Fat Eighth



Fabric N W105-008-555 Fat Sixteenth



Fabric P W105-009-505 Fat Sixteenth





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are $\frac{1}{4}$ unless otherwise stated. Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)

Cutting Instructions

Е	3 - 2" x WOF strips cut into 4 - 2" x 4½" rectangles and 4 - 2" x 6" rectangles
Н	2 - 2" x WOF strips cut into 4 - 2" x 3" rectangles and 4 - 2" x 4½" rectangles
1	4 - 1½" x WOF strips cut into 4 - 1½" x 7½" rectangles and 4 - 1½" x 8½" rectangles
K	4 - 2" x WOF strips cut into 4 - 2" x 6" rectangles and 4 - 2" x 7½" rectangles
N	1 - 2" x WOF strips cut into 4 - 2" x 1½" rectangles and 4 - 2" x 3" rectangles
Р	1 - 2" x WOF strips cut into 4 - 1½" squares

Piecing Instructions

Step 1: Sew a 2" x 1½" Fabric N rectangle to a 1½" Fabric P square as shown. Press. Make 4 Units 1.

Unit 1 P N


Step 2: Sew a 2" x 3" Fabric N rectangle to the top of a Unit 1 as shown. Press. Make 4 Units 2.

Unit 2


Step 3: Sew a 2" x 3" Fabric H rectangle to the right of a Unit 2 as shown. Press. Make 4 Units 3.


Unit 3 U2 H

Step 4: Sew a 2" x 4½" Fabric H rectangle to the top of a Unit 3 as shown. Press. Make 4 Units 4.



Unit 5 **Step 5:** Sew a 2" x 4½" Fabric E rectangle to the right of a Unit 4 as shown. Press. Make 4 Units 5. Step 6: Sew a 2" x 6" Fabric E rectangle to the top of a Unit 5 as Unit 6 shown. Press. Make 4 Units 5. **Step 7:** Sew a 2" x 6" Fabric K rectangle to the right of a Unit 6 as Unit 7 shown. Press. Make 4 Units 7. Unit 8 **Step 8:** Sew a 2" x 7½" Fabric K rectangle to the top of a Unit 7 as shown. Press. Make 4 Units 8. **Step 9:** Sew a 1½" x 7½" Fabric I rectangle to the right of a Unit 8 as Unit 9 shown. Press. Make 4 Units 9.






Block 9

Amalfi Coast BOM - Month 10 Quilt Assembly - 96" x 102" finished size

Fabric Guide



Fabric A W105-001-055 3 ¹/₄ yards



Fabric D W105-003-505 1 yard




Fabric M W105-007-557 ³/₄ yard



Fabric R EC-700 WHITE 1/2 yard



Binding* W105-009-570 1 yard



Suggested Backing W105-005-505 8 ¹/₂ yards *or* 3 yard 108"





Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.


*Binding Fabric also used elsewhere in the quilt as Fabric Q All seam allowances are 1/4" unless otherwise stated. Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage) LOF = Length of Fabric


А	4 - 5" x LOF (long side) strips fussy cut floral stripes
D	5 - 3½" x WOF strips 5 - 2" x WOF strips
М	5 - 2½" x WOF strips 5 - 1¾" x WOF strips
R	8 - 2½" x WOF strips
Binding	10 - 2½" x WOF strips

Assembly Instructions


Step 1: Arrange Blocks 4, 5, and 6 as shown. Pay close attention to the direction of the blocks. Sew together. Press. Make 2 Row 1 Units.




Step 2: Arrange Blocks 2, 3, and 5 as shown. Pay close attention to the direction of the blocks. Sew together. Press. Make 2 Row 2 Units.




Step 3: Arrange Blocks 1, 2, and 4 as shown. Pay close attention to the direction of the blocks. Sew together. Press. Make 1 Row 3 Units.




Step 4: Arrange two each of Rows 1 and 2 together with Row 3 as shown. The second of each Rows 1 and 2 are flipped. Sew Rows together to make the Center Unit 1. Press.




Step 5: Sew two 2½" Fabric R strips short ends together. You can measure and cut to 60½" long or use the left side of the quilt to measure and cut your border strips. Sew strip to the left side of the Center Unit. Press. Repeat for the right side of the Center Unit. Repeat for the top and bottom, either cutting the strips to 64½" long or use the top of the quilt to measure and cut. Press.




Step 6: Arrange two of each Blocks 7a, 7b, 8, and 8R as shown. Pay close attention to the direction of the blocks. Sew together. Press. Make 4 Row 4 Units.



Row 4
Step 7: Sew a Block 9 to each end of 2 Row 4 Units as shown. Press. Make 2 Row 5 Units.




Step 8: Sew the Row 4 Units to the sides of the Quilt as shown. Press. The Row 4 on the right is flipped. Sew the Row 5 Units to the top and bottom. Press. The bottom Row 5 is flipped.



Step 9: Sew two Fabric M 1¾" x WOF strips short ends together. You can measure and cut to 80½" long or use the left side of the quilt to measure and cut your border strips. Sew strip to the left side of the Quilt. Press. Repeat for the right side of the Quilt.


Repeat for the top and bottom, using the Fabric M 2½" x WOF strips. Either cut the strips to 83" long or use the top of the quilt to measure and cut. If necessary, sew 3 strips together to get the needed length. Press.

Step 10: Sew three Fabric D 1¾" x WOF strips short ends together. You can measure and cut to 85½" long or use the left side of the quilt to measure and cut your border strips. Sew strip to the left side of the Quilt. Press. Repeat for the right side of the Quilt, using the excess you cut off from the first strip sewn to two Fabric D 1¾" x WOF strips. Press. Repeat for the top and bottom, using the D 4½" x WOF strips. Either cut the strips to 88" long or use the top of the quilt to measure and cut. Press.



After the borders are stitched on, fold the quilt on the diagonal, right sides together, aligning the raw edges of two adjacent borders. With a ruler, mark a 45 degree line from the point where the stitching stopped on the border to the raw edge of the border. Sew on the 45 degree line, backstitching at both ends. Before triming to a ¼" seam allowance, check to make sure the corner is sewn correctly. Repeat for each corner. Press.





Step 12: Piece the backing at least 6" larger than the quilt top. Layer the backing wrong side up, the batting and the quilt top. Baste together. Quilt. Before binding, hand baste a scant ¼" around the edge of the quilt to hold the layers together. Piece the binding strips together. Fold the binding in half wrong sides together and press to make a double binding. Sew the binding to the quilt with a ¼", mitering the corners. Trim excess backing and batting and fold the binding over the back side and stitch down by hand with matching thread.

96" x 102" finished size

