

Cornerstone Runner

by Heather Seth for White Owl Textiles

Featuring


Take me to the Sea




Finished size: 16½" x 64½"




Fabric Guide




Fabric A
W145-001-860
 $\frac{2}{3}$ yard



Fabric B
W145-010-500
 $\frac{3}{8}$ yard




Fabric C
W145-011-700
 $\frac{1}{8}$ yard



Fabric D
W145-008-517
 $\frac{1}{4}$ yard



Binding
W145-006-570
 $\frac{3}{8}$ yard



Suggested Backing
W145-005-517
1 $\frac{1}{4}$ yards

Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are $\frac{1}{4}$ " unless otherwise stated.
Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)

Cutting Instructions

Fabric A	Fussy cut five 11" x 11" squares
Fabric B	Cut six 2" x WOF strips - subcut sixteen 2" x 11" strips for sashing
Fabric C	Cut one 2" x WOF strips - subcut twelve 2" x 2" squares for cornerstones
Fabric D	Cut four strips 2" x WOF - sew two strips together end-to-end, from resulting strip cut one 2" x 65" strip and one 2" x 14" strip for outer border Repeat with remaining the 2" x WOF strips.
Binding	Cut five strips 2 $\frac{1}{2}$ " x WOF

Piecing Instructions

Step 1: Sew a 2" x 2" Fabric C square to both ends of a 2" x 11" Fabric B strip. Press. Repeat to make 6 vertical sashing strips.

Step 2: Sew a 2" x 11" Fabric B strip to the top and bottom of an 11" x 11" Fabric A square. Press. Repeat for all five Fabric A squares.

Step 3: Sew all five blocks from Step 2 together, placing a vertical sashing strip from Step one between each block and on both ends. Press.


Step 4: Sew a 2" x 14" Fabric D strip to both ends of the runner. Press. Sew a 2" x 65" Fabric D strip to the top and bottom of the runner. Press.

Woohoo! Your runner top is finished. Now, quilt and bind using your preferred method.




Piecing Instructions

Step 1: Sew a 2" x 2" Fabric C square to both ends of a 2" x 11" Fabric B strip. Press. Repeat to make 6 vertical sashing strips.



Step 2: Sew a 2" x 11" Fabric B strip to the top and bottom of an 11" x 11" Fabric A square. Press. Repeat for all five Fabric A squares.



Step 3: Sew all five blocks from Step 2 together, placing a vertical sashing strip from Step one between each block and on both ends. Press.



Step 4: Sew a 2" x 14" Fabric D strip to both ends of the runner. Press. Sew a 2" x 65" Fabric D strip to the top and bottom of the runner. Press.



Woohoo! Your runner top is finished. Now, quilt and bind using your preferred method.