
Spangled

by Heather Seth for White Owl Textiles

Featuring

FUNDAMENTALS

Finished size: 32" x 26"




Nickel Plated Colorstory - Page 3





Fabric Guide



Fabric AAnchors Away-05
2 packs of stamps



Binding W165-001-585 ¹/₃ yard



Suggested Backing W130-001-355 1 yard

Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are ¼" unless otherwise stated. Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)

Cutting Instructions


For the following cutting instructions either use the image on the cover to choose fabrics, or pick your own squares to cut the pieces.

Fabric A	 Separate the squares into 3 groups Reds, Blues, and Whites From the red squares cut 44 strips 2½" x 4½" From the blue squares cut 24 squares 2½" x 2½" and 48 squares 1½" x 1½" From the white squares cut 36 strips 2½" x 4½" and 48 squares 1½" x 1½"
Binding	Cut four strips 2½" x WOF


Piecing Instructions

In the following instructions if you are making the nickel plated version refer to the fabric color in parenthesis. For example if you see **Red** (**Dark**) the **Red** refers to the anchors away colorstory and the (**Dark**) refers to the nickel plated colorstory.

Step 1: Gather 2 Blue (Medium) 1½" squares and 2 White (Light) 1½" squares. Arrange them alternating colors, as shown and sew together to make a 4-patch. Press. Repeat to make twenty-four 4-patch blocks.



Step 2: Gather the twenty-four 4-patch blocks and the 24 Blue (Medium) 2½" squares. Arrange them as shown alternating 2" squares with 4-patches, noting the orientation of the 4 patches. Sew the blocks into pairs and then into rows. Press. Sew the rows together. Press.




Step 3: Sew 4 Red (Dark) 2½" x 4½" strips together end to end to make a short row. Press. Repeat to make 3 Red (Dark) short rows.



Piecing Instructions

Step 4: Repeat Step 3 with White (Light) 2%" x 4%" strips. Make a total of 3 White (Light) short rows.




Step 5: Sew 8 Red (Dark) 2½" x 4½" strips together end to end to make a long row. Press. Repeat to make 4 Red (Dark) long rows.




Step 6: Repeat Step 5 with White (Light) 2½" x 4½" strips. Make a total of 3 White (Light) long rows.




Step 7: Gather the 3 Red (Dark) short rows and the 3 White (Light) short rows. Sew them together alternating Red (Dark) rows with White (Light) rows. Press.




Step 8: Repeat Step 7 with the 4 Red (Dark) long rows and the 3 White (Light) long rows. Press.



Step 9: Sew the Blue (Medium) and White (Light) section from Step 2 to the left side of the short row section from Step 7, noting orientation of both sections. Press.




Step 10: Sew the long stripe section from Step 8 to the bottom of the quilt top from Step 9. Press.



Woohoo! Your quilt top is finished. Now, quilt and bind using your preferred method.

Nickel Plated Colorstory



Fabric Guide



Fabric ANickel Plated-05
2 packs of stamps



Binding W165-001-555 ¹/₃ yard



Suggested Backing W130-001-725 1 yard

Cutting Instructions

For the following cutting instructions either use the image above to choose fabrics, or pick your own squares to cut the pieces.

Fabric A	Separate the squares into 3 groups Darks, Mediums, and Lights
	• From the dark squares cut 44 strips 2½" x 4½"
	• From the med squares cut 24 squares 2½" x 2½" and 48 squares 1½" x 1½"
	• From the light squares cut 36 strips 2½" x 4½" and 48 squares 1½" x 1½"
Binding	Cut four strips 2½" x WOF