

Square Up

by Elise Lea for White Owl Textiles

Featuring

Coffee and Co



Finished size: 69" x 79"



Fabric Guide




Fabric A
1 Stack
42 - 10" Squares



Fabric B
1 $\frac{3}{8}$ yards



Fabric C
1 $\frac{1}{8}$ yards



**Optional
Fabric D**
 $\frac{2}{3}$ yard panel



Binding
 $\frac{5}{8}$ yard



**Suggested
Backing**
4 $\frac{7}{8}$ yards

Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are $\frac{1}{4}$ " unless otherwise stated.
Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)

Cutting Instructions


Fabric A	Choose 21 of the 10" x 10" squares and trim them down to 9 $\frac{1}{2}$ " x 9 $\frac{1}{2}$ " - fewer are needed if using the optional panel blocks (<i>Fabric D</i>) Choose 21 of the 10" x 10" squares and cut 2 rectangles 4 $\frac{1}{2}$ " x 9 $\frac{1}{2}$ " from each (make sure to cut the rectangles horizontally if using a directional fabric)
Fabric B	Cut 31 strips 1 $\frac{1}{2}$ " x WOF - From 14 of the strips - subcut 56 strips 1$\frac{1}{2}$" x 9$\frac{1}{2}$" for block sashing - Sew 9 strips together end-to-end to create one long strip - subcut 6 strips 1$\frac{1}{2}$" x 59$\frac{1}{2}$" for horizontal row sashing - Sew 9 strips together end-to-end to create one long strip - subcut 2 strips 1$\frac{1}{2}$" x 61$\frac{1}{2}$" for top and bottom inner borders - Sew 9 strips together end-to-end to create one long strip - subcut 2 strips 1$\frac{1}{2}$" x 69$\frac{1}{2}$" for side inner borders
Fabric C	4 $\frac{1}{2}$ " x 69 $\frac{1}{2}$ " for top and bottom outer borders 4 $\frac{1}{2}$ " x 71 $\frac{1}{2}$ " for side outer borders
Fabric D (Optional)	Fussy cut 6 panel blocks to 9 $\frac{1}{2}$ " x 9 $\frac{1}{2}$ "
Binding	Cut 8 strips 2 $\frac{1}{2}$ " x WOF

Piecing Instructions

Step 1: Gather two random 4½" x 9½" Fabric A rectangles and one 1½" x 9½" Fabric B strip. Sew the fabric A rectangles together with the Fabric B strip between them. Press. Repeat to make 21 pieced blocks.



Step 2: Layout the Pieced blocks and the Fabric A 9½" x 9½" squares in a 6x7 grid as shown, alternating pieced blocks with Fabric A squares, and making sure all the pieced blocks have the sashing strip running horizontal.



If using the optional 9½" x 9½" Fabric D panel blocks use those in place of a few of the Fabric A squares as desired.


Step 3: To make a row, sew the blocks together placing a 1½" x 9½" Fabric B sashing strip between each block. Press. Repeat for all 7 Rows.



Step 4: Sew the rows together, placing a 1½" x 59½" Fabric B Horizontal sashing strip between each row. Press.

Step 5: Sew the 1½" x 69½" Fabric B side inner borders to the sides of the quilt top. Press. Sew the 1½" x 61½" Fabric B top and bottom inner borders to the top and bottom of the quilt top. Press.

Step 6: Sew the 4½" x 71½" Fabric C side outer borders to the sides of the quilt top. Press. Sew the 4½" x 69½" Fabric C top and bottom outer borders to the top and bottom of the quilt top. Press.



Woohoo! Your quilt top is now finished. Now, quilt and bind it using your preferred method.


Coffee and Co




Fabric Guide



Fabric A
1 Stack
Coffee and Co-10



Binding
W135-009-370
5/8 yard



Fabric B
EC-795
1 3/8 yards



Suggested Backing
W135-005-090
4 7/8 yards



Fabric C
W135-006-090
1 1/8 yards

Kindly note, our free patterns are not to be sold nor hosted on any other websites. We appreciate your understanding.

All seam allowances are 1/4" unless otherwise stated.
Press seams open unless otherwise stated.

WOF = Width of Fabric (selvage to selvage)